

FUZZY IN ARTIFICIAL INTELLIGENCE WITH TRANSPORT SIMULATION

B. Sankaraiah

Assistant Professor, Department of Computer Science & Engineering, Malla Reddy (MR) deemed to be University, Hyderabad. Email id.: Shankar61186@gmail.com

Vemula Nikitha

Assistant Professor, Department of Computer Science & Engineering, Malla Reddy (MR) deemed to be University, Hyderabad. Email id.: nikitha479@gmail.com

Syed Abdul Haq

Assistant Professor, Department of Computer Science & Engineering, Malla Reddy (MR) deemed to be University, Hyderabad. Email id.: abdulhaq007@gmail.com

Dr. Syed Umar

Professor, Department of Computer Science & Engineering, Malla Reddy (MR) deemed to be University, Hyderabad. Email id.: syedumar@mrec.ac.in

Abstract—Fuzzy logic is a reformulation of Boolean common considering the mathematical theory of fuzzy sets, which is a hypothesis from older set theory. By introducing a degree of opportunity to confirm a role, allowing it to be in a position other than irrefutable or inappropriate, fuzzy logic gives certainly massive adaptability to questioning, bots, and spotting flaws. One of the unusual improvements of fuzzy good judgment to formalize human reasoning is that the rules are set out in ordinary language.

During the past years, the framework for the robotic statement of the model and the extraction of flashy fashion from the constant figures have just hung around the fuzzy set. The parts of knowledge representation and wonder have long been presented in fuzzy set theory, the piece of thought that increasingly fits into planning schemes and programs in artificial intelligence. A transport simulation is presented to discuss AI using Fuzzy Logic.

Index Terms—AI- Artificial Intelligence, TP – Transportation Problem, F – Fuzzy, P – Pentagonal

I. INTRODUCTION

[1] Suggested a method to solve FTP working on PFN. In [2] the best optimality condition has been checked. Also [3] proposed octagonal FTP using a different ranking method. A simple algorithm is given to check the feasibility of FTP by [4]. [5] Solved TP with fuzzy numbers by the ranking method. [6, 7] Solved FTP using the Best Candidate method. Balanced and unbalanced FTP by using Octagonal Fuzzy Numbers introduced by [8]. The [9] proposed solution of FTP uses robust rank techniques and an improved method.

A new algorithm is suggested to discover an optimum solution for FTP in which PFN is involved. By applying the ranking technique and proposed algorithm to get the least value giving the optimum solution. Despite this internal shift to unclear internal plan research, an external reform has also clearly indicated support for the plans. This progress is of great interest given that the field of understanding discovery in databases has attracted studied groups of the past due. As a response to the modern statistics switch and advances in care development, shifting towards limited human endpoints to keep aside and harness a ton of data, this field has honestly emerged as another assessment area, which Evaluation, lying on the mix of the device.

By way of the most general definition, KDD proposes a non-trivial course of discovering a genuine, novel, possibly concrete, and ultimately economical scheme in information. The relevant step in the general KDD process is information mining. KDD has free evaluation area, with its own magazines and social meetings.

The problem of visualizing fuzzy data can persist in a given space in particular in two unique ways. Anyway, the fashionable framework for evaluating facts can be loosened in an honestly non-different way by means of the reform rule. For example, in the case of fuzzy statistics as far as possible great courtship between the facts of Hobie and a small loss coefficient can be reached, in which the assumptions

related to the Bushey set are illustrated. The coefficients are additionally obscured as needed. A second, possibly more modern technique is based on embedding facts into more complex mathematical spaces, inside the shape of fuzzy evaluation spaces [10], and carrying out evaluation of facts in these regions.

Anyway, the problems of knowledge and technology acquisition [11] of robots have come to the fore more powerfully during the current years. It's not the same old thing as "the barrier to expertise" is one of the valuable problems within putting smart and expertise-based solely systems in place. Without doubt, the revelation has proved that essentially knowledge-driven strategies, which aim to formalize the problem of comprehensive human expert understanding, are exciting, difficult and long.

While in doubt, it certainly won't affect the completely first class results. As a result, a form of fact-based valuation [12] is consistently beneficial in fuzzy schemes. In fact, such "tuning" also presents itself, due to the fact that in many programs the facts are increasingly exposed. Incontrovertibly, late evaluation has shown that the common sense-driven approach can be updated correctly through information-push.[13]

In the fabulous case, the past is also completely removed from the final choice. For example, some structures [14] that derive from facts in a fuzzy fashion (e.g., fuzzy rule based) in a completely motorized way were actively created.

Fuzzy logic manages the stages of rendering that are not predicted in time so as to achieve an unambiguous result. Thus far, checking on the execution of this logic:

- This will be done in systems with extraordinary sizes and limitations, for example, more compact than normal controllers, large structures or notebook-based systems.
- Basically, it will end in generic content, programming or a combination of each.
- Overall, we use fuzzy good judgment structure for each business and sensible purposes, for example,
- It controls the machines and things of the customers.
- In the absence of careful reasoning, it provides simple enough reasoning.
- It helps to overcome engineering constraints.

In this paper, discuss the AI using Fuzzy Logic

II. FUZZY LOGIC ARCHITECTURE

It consists of four parts:




Figure 1: Fuzzy Logic Architecture

- Guidelines – It universalizes rules and waits for familiar situations through experts with superb system manipulation. The new update to the Fuzzy concept features a solid framework for sport-plan and tuning Fuzzy controllers. With the help of and by and large, they undercut very vague policies.
- Inference Engine - It alternates the degree of fit between fuzzy records and guidelines. According to the information field, it will wrap up the policies that can be implemented. The management of the structure takes place, consolidating the prepared rules.

- Defuzzification - sets the Defuzzification cycle adjustment on the Bushi set to another value. There are a lot of types of S structures out there, and you honestly want to choose the best one with a professional build.

In fuzzy clustering an individual may currently have a role with different social groups at a very simple level, and with a selected percentage given a degree of assistance approximating its standard role. Enrollment amounts of men's or women's packs are often predicted to lead to weighting of the warranty. Fuzzy policies can deal with both lower game plans and confidence limits, and along these lines fuzzy models were proliferated. So one can experience defeat as much as possible, a fuzzy structure is appreciated through a "Fuzzifier" and a "Defifier": a further commitment to the erstwhile partner fuzzy, which is controlled through the fuzzy logic and the last option syncs the (fuzzy) final result of the Bushi device to another price again. For approximate Takagi–Sugeno models, which are designed specifically to uncover the project of losing self-assurance, the Defiffusion step is trivial, as these fashions generate new functions without delay.

Some strategies have been created to set up a fuzzy rule base from the given data. While not ruling out an obvious feature, we make a useful distinction between those designs. This ability is related to how individuals discover rules or components in their landscape. A single access (continuous) record is to search for regions in the field that appear to define the position part (correction) of a criterion. This should be possible through discovery of packs using clustering computations (see above), or by looking at the Hyper-Ncase method for popular covering (discrete and distant) evaluation.

For each logo call there is actually a priori from a fuzzy piece of data area, i.e., a trendy "fuzzy grid", and each cell of this grid is to be checked as a unique ancestor part of a criterion. This method is of high quality corresponding to an interpretative technique. Of course, it is far less adaptive and can give incorrect models when one-layered components represent an opportunity grid that does not reflect the informational game plan. The area of Fuzzy Rule particularly requires crossbreed techniques to know crop up with exceptional strategies, highly creative evaluation and association of ideas. As an example, early bets are typically used to smooth ("tune") an obscure rule base or to look through a range of possible rule bases in an (essentially) efficient manner.

III. PROPOSED METHOD TECHNIQUES

International optimization approaches such as evolutionary algorithms, simulated annealing, taboo search and so forth. Can be beneficial to the adaptive evolution of fuzzy if-them directions, form and amount of membership features, fuzzy operators and other node capabilities, most of the network parameters due to the dependence on gradient information through obtaining supervised knowledge to optimize the network parameters to nearby optima of strategies to prevent getting bogged down.

Fuzzy schemes, close to related computational information systems, promise to be a major resource to deal with motorization efforts characterized by the indicated issues. This should be the case especially when the relationship with the control is not meeting standard screening procedures, information of different sources and character needs to be combined, or human welfare is to be shown. Regardless, an obscure development is merely a piece of a robotics system applied to a particular endeavor. It can be found in a variety of schemes, and it may supersede, complement or supervise existing subsystems.

Another use of fuzzy systems is in (adaptive) signal filtering in the preprocessing step. Bundling is the most striking way to manage to separate lots of data (or things) into essential, predefined subgroups (called social events) with a conclusive purpose that the people of a party are relative according to a particular viewpoint. The items in the individual packs should be larger from an overall perspective and all around, as might be anticipated. Fuzzy parties, for example fuzzy c-propositions, consider information of interest or a dull list of what is in the pack. In illustration, an object is given a class name according to its fraction. Fuzzy classifiers assign a cataloging level assignment of the object to each predefined class. For their execution, fuzzy rule-based structures or fuzzy decision trees are indispensable.

The evaluation attempts to understand the explanation (e.g., depletion, pollution) that explained the events and observed discretionary effects. The specific idea of postulates is the use of essential causality to uncover explanations that explain unintended effects. There are two major uses of the finding,

insufficiency district and bundle, and clinical assessment. The use of fuzzy schemes can be helpful in searching, as discretionary effects and defects are strong.

Essentially sure uses of fuzzy reasoning coordinate the use of phonological elements. A semantic variable is a variable whose value is a word instead of a number.

Look at the idea, P: Robert is young.

Of course, P is free in relation, but of course, P is careful in significance if long disclosed as a fuzzy set with a predefined list limit. Essentially more precisely, when a term in fuzzy logic looks for the value of a variable, the term is clarified by observation as a fixed fuzzy set. This is an important idea that underlies the opportunity for a derived variable – an idea [15] that paves the way for cheating to tolerate inaccuracy. Accuracy incurs a cost. Precisely when there is an ability to tolerate inaccuracy, the cost of using words is reduced. Correspondingly around this, the use of words creates better models of this ongoing reality.

Definition (PFN) [1]

A fuzzy number A is said a PFN, which is represented as $(s_i, 1 \leq i \leq 5)$ whose membership function $\mu_A(x)$ is given by

$$\mu_A(x) = \begin{cases} 0, & \text{if } x < s_1 \\ u_1 \left(\frac{x-s_1}{s_2-s_1} \right), & \text{if } s_1 \leq x < s_2 \\ 1 - (1 - u_1) \left(\frac{x-s_2}{s_3-s_2} \right), & \text{if } s_2 \leq x < s_3 \\ 1, & \text{if } x = s_3 \\ 1 - (1 - u_2) \left(\frac{s_4-x}{s_4-s_3} \right), & \text{if } s_3 \leq x < s_4 \\ u_2 \frac{s_5-x}{s_5-s_4}, & \text{if } s_4 \leq x < s_5 \\ 0, & \text{if } x > s_5 \end{cases}$$

PROPOSED RANKING TECHNIQUE

To find the interquartile range, following steps are required:

1. Arranging numbers in ascending order.
2. Evaluate Median.
3. Evaluate quartile both upper (Q3) and lower (Q1) data.
4. Find inter-quartile range = $Q_3 - Q_1$

PROPOSED Inter- Quartile RANKING METHOD

- 1) Prepare transportation problem table and check if it is balanced or not. If it is not balanced, then add hostile row or column as per the requirement.
- 2) Applying proposed ranking method, convert the FTP into crisp values.
- 3) For every row, find the sum of row maximum and just less than the maximum value and divide it by the number of columns.
- 4) For each column find the sum of the column maximum and just less than the maximum value divide it by a number of rows.
- 5) Select the greatest of the resultant value. Then, choose the least value of the cost and make the allocation. If there are multiple greatest values, then take any value.
- 6) Repeat steps 3 to 5.

IV. SIMULATION

Consider a balanced FTP

	d1	d2	d3	d4	Supply
s1	(1,3,5,7,9)	(0,1,2,3,4)	(2,4,7,8,9)	(0,3,4,5,8)	50
s2	(2,4,5,6,8)	(0,3,4,6,7)	(3,5,6,8,9)	(0,2,3,4,5)	40
s3	(2,4,5,6,9)	(0,2,4,6,8)	(1,2,5,7,10)	(2,3,4,5,6)	60

s4	(0,13,5,6)	(1,2,4,5,6)	(0,1,2,3,5)	(2,3,5,7,9)	30
Demand	40	45	45	50	

By applying inter-quartile ranking technique, transform given PFN into crisp values.

	d1	d2	d3	d4	Supply
s1	6	3	5.5	5	50
s2	4	5	4.5	3.5	40
s3	4.5	6	7	3	60
s4	5	4	3.5	5.5	30
Demand	40	45	45	50	

Now we have to find the greatest value from the result and notice the least allocation value of the cost.

	d1	d2	d3	d4	Supply	
s1	6	3	5.5	5	50	$\frac{11.5}{4}$
s2	4	5	4.5	3.5	40	$\frac{9.5}{4}$
s3	4.5	6	7	3	60	$\frac{13}{4}$
s4	5	4	3.5	5.5	30	$\frac{10.5}{4}$
Demand	40	45	45	50		
	$\frac{11}{4}$	$\frac{11}{4}$	$\frac{12.5}{4}$	$\frac{10.5}{4}$		

Now again we have to find the greatest value from the result and notice the minimum value of the cost and make the allocation.

.	d1	d2	d3	d4	Supply	
s1	6	3	5.5	5	50	$\frac{11.5}{3}$
s2	4	5	4.5	3.5	40	$\frac{9.5}{3}$
s3	4.5	6	7	3	60	$\frac{13}{3}$
s4	5	4	3.5	5.5	30	$\frac{9}{3}$
Demand	40	45	45	50		
	$\frac{11}{4}$	$\frac{11}{4}$	$\frac{12.5}{4}$	$\frac{10.5}{4}$		

. The same technique is followed repeatedly until to get the final allocation.

	d1	d2	d3	d4	Supply
s1	6	3	5.5	5	50
	5	45			

s2	4	5	4.5 15	3.5	40
	25				
s3	4.5	6	7	3	60
	10			50	
s4	5	4	3.5	5.5	30
			30		
Demand	40	45	45	50	

The transportation cost $Z = 50*3 + 10*4.5 + 45*3 + 6 * 5 + 25*4 + 15*4.5 + 30*3.5 = 632.5$

An inter-quartile range technique is proposed to get a crisp value which is very easy, and a new algorithm is applied to solve FTP. We get an optimal solution using this method as compared to other known techniques.

V. CONCLUSION

In contrast to reductionist systems, those systems, while in doubt, presuppose a holistic perspective on the world, e.g. that some complex thing may additionally contain or exceed 'the sum of its parts'. Obviously, as was the case with the atomic bomb, which was simply a synthetic use of a real effect portrayed from a particular point of view, ethical considerations must be carefully taken into account. It is understood that any progress may be used for good or bad. Regardless, it is not just the correction that is effective or questionable, but the persons who apply it, due to the fact that correction has been by far the most effective tool for people.

References

- [1] S. Sathya Geetha and K. Selvaumari, A New Method for Solving Fuzzy Transformation Problem Using Pentagonal Fuzzy Numbers, Journal of Critical Reviews, Vol 7, Issue 9, 2020,171-174, ISSN-2394-5125.
- [2] Dr. Shraddha Mishra, Solving Transportation Problem by Various Methods and Their Comparison, International Journal of Mathematics Trends and Technology (IJMIT), Volume 44, Number 4, April 2017, 270-275, ISSN:2231-5373
- [3] Dr. P. Rajarajeswari and G. Menaka, Octagonal Fuzzy Transportation Problem Using Different Ranking Method, International Journal of Trend in Scientific Research and Development, Volume 4, Issue 5, August 2020, 8-13, e-ISSN: 2456-6470.
- [4] M. R. Fegade, V. A. Jadhav, A. A. Muley, Solving Fuzzy Transportation Problem using Zero Suffix and Robust Ranking Technology, IOSR Journal of Engineering (IOSRJEN), Volume 2, Issue 7(July 2012), PP 36-39, ISSN:2250-3021.
- [5] Kirtiwant P Ghadle and Priyanka P Pathade, Solving Transportation Problem with Generalized Hexagonal and Generalized Octagonal Fuzzy Numbers by Ranking Method, Global Journal of Pure and Applied Mathematics, Volume 13, Number 9 (2017), pp. 6367-6376, ISSN 0973-1768.
- [6] R. Gnanakumaran, Divya Rohatgi, A K Sampath, Nidhi Nagar, D. Amuthaguka, Raj Kumar Gupta, "Robust Extreme Learning Machine based Sentiment Analysis and Classification", 2023 5th International Conference on Smart Systems and Inventive Technology (ICSSIT), (2023), DOI: 10.1109/ICSSIT55814.2023.10061017.
- [7] Habeeb, M. S., & Babu, T. R. (2022). Network intrusion detection system: a survey on artificial intelligence-based techniques. Expert Systems, 39(9), e13066.
- [8] Priyanka A. Pathade, Kirtiwant P. Ghadle, Optimal Solution of Balanced and Unbalanced Fuzzy Transportation Problem by Using Octagonal Fuzzy Numbers, International Journal of Pure and Applied Mathematics, Volume 119 No. 4 2018, 617-625, ISSN: 1311-8080 (printed version); ISSN: 1314-3395 (on-line version)

- [9] P. Jayarama1 and R. Jahirhussian, Fuzzy Optimal Transportation Problems by Improved Zero Suffix Method via Robust Rank Techniques, *International Journal of Fuzzy Mathematics and Systems*, ISSN 2248-9940 Volume 3, Number 4 (2013), pp. 303-311.
- [10] Naveen Sai Bommina, Nandipati Sai Akash, Uppu Lokesh, Dr. Hussain Syed, Dr. Syed Umar, "A Hybrid Optimization Framework for Enhancing IoT Security via AI-based Anomaly Detection", *International Journal on Recent and Innovation Trends in Computing and Communication*, ISSN: 2321-8169 Volume: 11 Issue: 3.
- [11] Uppu Lokesh , Naveen Sai Bommina , Nandipati Sai Akash , Dr. Hussain Syed , Dr. Syed Umar. (2021). Deep Reinforcement Learning with Genetic Algorithm Tuning for Intrusion Detection in IoT Systems. *International Journal of Communication Networks and Information Security (IJCNIS)*, 13(3), 582–595.
- [12] Nandipati Sai Akash, Uppu Lokesh, Naveen Sai Bommina, Hussain Syed, Syed Umar, "Swarm Intelligence-Based Hyperparameter Optimization for AI-Powered IoT Threat Detection", *International Journal of Intelligent Systems and Applications in Engineering*, (2024), 12(17s), 941.
- [13] RS Supriya Khaitan, Divya Rohatgi, Sana Nalband, Tejali Mhatre, Shweta Patil, "Enhancing Essay Grading Efficiency and Consistency through Two-Layer LSTM Models and Attention Mechanisms", *Journal of Information Systems Engineering and Management* 10 (2), 191-202.
- [14] Habeeb, M. S., & Babu, T. R. (2024). MS-CFFS: Multistage Coarse and Fine Feature Selection for Advanced Anomaly Detection in IoT Security Networks. *International Journal of Electrical and Electronics Research*, 12(3), 780-790.
- [15] Ahmad, Z., Khan, A. S., Aqeel, S., Julaihi, A. A., Tarmizi, S., Annuar, N., & Habeeb, M. S. (2022, May). S-ADS: spectrogram image-based anomaly detection system for IoT networks. In *2022 Applied Informatics International Conference (AiIC)* (pp. 105-110). IEEE.