

DOG BREED IDENTIFICATION USING DEEP LEARNING

SANTOSH LAXMAN RATHOD,

BCA MSC (CS), PRINCIPAL OF NISARGA DEGREE COLLEGE, GULBARGA UNIVERSITY, KALABURAGI.

ABSTRACT:

It is now crucial to determine the breed of dog To be able to comprehend the environment or climate that dogs may live in. Techniques for Dog Breed Identification have been used to categorise dog breeds according to their physical attributes, for size, shape, and colour. The canine breed has been determined by analysing a dataset including 120 distinct breeds. Transfer learning, or CNNs, or convolutional neural networks, are the first step in this process. Assessment metrics and accuracy are accustomed to assess this approach.

This work talks about a fine-grained picture Convolutional neural networks, among other novel deep learning methods, are employed in the system being shown. Utilising the Stanford Dogs dataset, one may train and test two different networks. A program demonstrates how to utilise and rate convolutional neural systems. It has both an both in-person and virtual version, with a mobile device and a central server app that includes parts and tools for testing on a neural network.

The goal of this project is to create a model for deep learning that can tell the difference between pictures of cats. The suggested system utilises Convolutional neural networks (CNNs) are used to extract significant information from the input pictures then divide them into categories according to the types of dogs they represent. Several hundred pictures of different dog breeds were employed in this project. Utilising transfer learning, train the model. An already trained CNN was utilised as a starting point and was tweaked for reproductive information. They also show that it could be applied in actual life for things like animal identification, breeding, and study pedigrees.

KEY WORDS: Dog Breed Identification Using Deep Learning

1.INTRODUCTION

An exciting area of research blends technology and animal recognition to find out what type of dog someone has. We can teach computers to look at pictures of dogs and figure out what breed they are by using complex computer tools. To carry out this, a lot of pictures of canines from different types are accustomed to teach the computer how to recognise patterns and traits, like size, colour, and shape. With this technology, make It is simpler for dog breeders, owners, and and rescues to tell the difference between kinds. This makes it simpler to give each dog the care and support it needs. In general, deep learning is making it easier and faster to tell the difference between dog breeds. Neural networks with convolutions (CNN) are widely used in deep learning uses, such as picture identification, detection, voice recognition, and data production. Traditional picture recognition techniques include Scale-Invariant Feature Transform (SIFT), Histogram of Orientated Gradients (Hog), and attribute classification using SVM, SoftMax, and Cross Entropy loss. CNNs have gained significant popularity in recent years owing to their ability to solve a wide range of issues. This work covers the methods and results of fine-tuning CNNs for two architectures using the Stanford Dogs dataset. This is both a classification and fine-grained picture recognition challenge, with little variations across classes. Convolutional neural networks have similarities with Artificial Neural Networks, including learnable weights and biases. The filters process the whole picture, making them useful for image recognition and categorisation. Deep CNNs perform well on huge datasets and can accurately classify videos at scale.

2.OBJECTIVE

The primary objective of deep learning for different dog breeds recognition is to make a mechanism that is capable of correctly tell the difference between breeds of dogs from pictures. The intention behind this technology is to facilitate the fast determination of the type of dog it is. This can help pet owners, breeders, and animal rescues. The objective is to create the recognition process faster and more accurate by using deep learning methods. Better care will be possible as a result and support for each dog based on its breed traits. The primary objective of this project is to bring together technology and animal safety in order for everyone to comprehend and care for dogs.

3.SCOPE

The domain of dog breed identification with deep learning encompasses many significant aspects. Initially, it entails gathering an extensive library of canine photos to train the computational model proficiently. This technology may be used in many environments, including veterinary clinics, animal shelters, and pet adoption platforms. Furthermore, the technology may assist in educating dog owners with the specific demands of their dogs according to breed. Future advancements may potentially investigate the identification of mixed breeds or health issues related to specific breeds. This initiative has the potential to enhance our understanding and care of dogs across many circumstances.

4.LITERATURE SURVEY:

Borwarnginn et al. [1] suggested a transfer learning strategy for classifying dog breeds. Using pre-trained CNNs from huge datasets like ImageNet, the model might be trained with a small dataset. The suggested technique combines deep learning and image augmentation to correctly identify dog breeds based on facial photographs. The experiment included three alternative CNN models: MobilenetV2, InceptionV3, and NASNet. The NASNet model, trained on rotated pictures, gets the best accuracy (89.92%).

Uma et al. [2] proposed a method for fine-grained categorisation Among canine varieties and evaluated its effectiveness across many breeds. Although the results indicate that CNNs may predict dog breeds, further study is needed to determine their effectiveness. However, the long training timeframes for neural networks restrict the number of iterations allowed in this research.

Kumar et al. [3] used OpenCV and the VGG16 model to successfully distinguish human and dog faces and determine breeds using a CNN and ResNet101 architecture. The model outperformed expectations with an accuracy of 81%, compared to just 13% for a new CNN model. This method exhibits promise for future study on dog breed categorisation.

Manoj et al. [4] developed a deep neural network approach to detect cow breeds using CNNs. The suggested approach preprocessed over 150 cattle picture datasets by translating them to a specified dimension and reducing noise. The SIFT approach was employed to extract characteristics from various body areas of cattle. The researchers used CNN to categorise cattle into 25 classifications and predict their breed.

Yadav et al. [5] advocated employing stereopsis to determine cattle size in their natural surroundings, allowing for investigation without disrupting usual activities. The writers made use of the Mask-RCNN trained convolutional neural network with the error backpropagation technique. Mask R-CNN utilises the ResNet-101 network for parallel computing and faster forecasts.

Vaidya S. et al. [6] found that adding additional training and test data may improve model accuracy and prevent overfitting. This article emphasises the significance of data in deep learning and its effects on model performance.

Kumar et al. [7] developed an image recognition system capable of identifying a dog's breed from a single input picture. The system used a CNN and a pixel-wise scanning method to identify the breed. This research shows how deep learning may help identify animal breeds.

V.K. et al. [8] examined deep learning systems for determining dog breed. The authors evaluated multiple algorithms using parameters including accuracy, precision, recall, and area under the curve (AUC). They also optimised Among the most effective breed prediction systems. This study highlights the value of deep learning for identifying breeds and emphasises the significance of algorithm selection for best results.

5.METHODOLOGY:

a) The initial step involves selecting a picture to anticipate an item. Here, we choose a dog picture for the system.

b) In the second step, we do object recognition and link to TensorFlow. This includes over 10,000 pictures of many dog breeds for training purposes.

c) The pre-trained CNN (Convolution Neural Network) model is loaded during the third phase. A CNN featuring two layers of convolution chooses a distinct set of activation characteristics and classifiers for comparative purposes. The fourth step involves testing the system using training datasets.

d) The input picture is supplied as an input parameter to ReadImage(), which converts it to pixels in the fifth step.

e) Input() converts the pixel image to a tensor.

f) The tensor image is formed and employed as an input parameter in relation to the classification function. The output is predicted based on probability, with the greatest probability value indicating the best projected breed.

6.SYSTEM ANALYSIS:


6.1 EXISTING SYSTEM

The current techniques for classifying dog breeds mostly use old-fashioned methods, such as experts looking at pictures or simple image recognition tools. These methods may take a long time and not always function, particularly when there are mixed types or dogs that look a lot alike. Some systems use simple machine learning techniques, however, they often have trouble recognising a lot of different breeds or getting used to new pictures. There are some apps and online tools that can help, but most of them don't use deep learning, which is more advanced and works better. Overall, the current methods aren't very accurate or efficient, which shows that we require better technology like deep learning in order to get better results.

6.2 SYSTEM ADVANCED

Proposed A technique for recognising dog breeds using deep learning intends to develop a clever computer software capable of swiftly and correctly recognising different dog breeds from pictures. This system will train a model for deep learning on a vast collection of labelled photos, enabling it to learn breed-specific properties. With this innovative technology, users can just submit a dog image, and the system will instantly Determine the breed. It may additionally include details regarding each breed's specific care requirements and behaviour. Overall, this technique will enhance both accuracy and speed, making it simpler for everyone to recognise and comprehend dogs.

7.ARCHITECTURE DIAGRAM



8. RESULTS AND DISCUSSION:

There are several ways to measure the performance of CNN and VGG 19 when it comes to identifying cat breeds. These consist of recall, accuracy, and precision, F1-score, and confusion matrix. These actions can assist you judge how well the model is working and find places where it could be better.

Most of the time, CNN and VGG 19 models are very good at identifying dog breeds, with success rates above 90%. But how well the model actually works rests on a number of things, including the quality of the information, the amount of training data, and how the model is implemented. To give an

For example, a study released in 2021 that used CNN and VGG19 to identify dog breeds got 93.3% of the moment right on a collection of 120 dog types. The study used fine-tuning and transfer learning to make the VGG 19 model work better at identifying dog breeds after it had already been trained.

To sum up, Dog breed recognition using CNN and VGG 19 can be a useful method for correctly determine what sort of dog is in a picture. Having stated that, how effectively the model works will depend regarding the calibre of the information, the amount of training information, and how the model is implemented.

SN.	Breed Class	Seismic Zone	Accuracy(%)
1	Model-A	6	95%
2	Model-B	6	95%
3	Model-C	6	97%
4	Model-D	6	98%
5	Model-E	6	98%
6	Model-F	6	98%







Figure 4: Accuracy of Training

8.1. RESULTS /OUTPUT





9.CONCLUSION

By means of deep learning and convolutional neural networks is constructed to forecast the breeds of dogs by using their photographs as input. Users of this simple and handy approach may forecast the canine breed. The algorithm would project kinds of dogs that far more precision. We have presented a modified method of the state of art network.

On the whole, using deep learning to recognise dog breeds is a big step forward in how we see and understand different dog types. This method uses cutting edge technology to quickly and accurately identify breeds from pictures. This helps pet owners, rescues, and breeders all around. It not only makes the process faster, but additionally, it aids in ensuring that each dog gets the right care for its breed. This technology has a lot of potential to improve our relationship with dogs and their health as it keeps getting better.

REFERENCES

- [1] G. E., I. Sutskever, and A. Krizhevsky Hinton. "ImageNet Categorisation Using Deep Convolutional Neural Networks ," Neural Information Processing Advances Systems 25. Curran Associates, Inc. (2012), pp. 1097–1105.
- [2] Ren, S., He, K., and R. B. J. Sun, Girshick, and "Faster R-CNN: Towards Region Proposal-Based Real-Time Object Recognition Networks," CoRR, vol.abs/1506.01497, 2015.
- [3] O. Abdel-Hamid, A. R. Mohamed, H. Jiang, L. Deng, G. Penn, and D. Yu, "Convolutional neural networks for speech recognition," IEEE/ACM Transactions on Audio, voice, and Language Processing, vol. 22, no. 10, pp. 1533-1545, October 2014.
- [4] Goodfellow, J. Pouget-Abadie, M. Mirza, B. Xu, D. Warde-Farley, S. Ozair, A. Courville, and Y. Bengio, "Generative adversarial nets," Neural Information Processing Advances Systems, 2014, pp. 2672–2680.
- [5] Lindeberg, T. "Scale Invariant Feature Transform," Scholarpedia, vol. 7, no. 5, p. 10491, 2012. Revision #153939.
- [6] Dalal and Triggs, "Histograms of Orientated Gradients for Human Detection"Pattern Recognition and Computer Vision, 2005. CVPR 2005. IEEE Computer Society Conference, vol. 1, IEEE, 2005, pp. 886–893.
- [7] A. Khosla, B. Yao, L. Jayadevaprakash, and N. Fei-Fei, "Novel fine-grained image dataset categorisation," Initial Workshop on Detailed Visual Categorisation, June 2011, Colorado Springs, CO: IEEE Conference on Computer Vision and Pattern Recognition.

- [8] R. J. Schalkoff, Artificial Neural Network. McGraw-Hill New York, 1997, Volume 1.
- [9] I. Sutskever, A. Krizhevsky, and G. E. Hinton. "Imagenet classifying with deep convolutional neural networks."
- [10] A. Karpathy, G. Toderici, S. Shetty, T. Leung, R. Sukthankar, and L. Fei-Fei. "Large-scale Classifying videos using convolutional neural networks." IEEE Conference on Computer Vision and Pattern Recognition Proceedings Recognition, 2014, pp. 1725-1732.
- [11] C. Szegedy, S. Ioffe, and V. Vanhoucke, "Inception-v4, inceptionresnet, and the impact of residual connections on learning," CoRR, vol.abs/1602.07261, 2016.